## **Condensed Survey Results for Valleys and Hills (Region 4)**

## I. Threats to habitats in Valleys and Hills (Region 4)

Criteria for inclusion: The following **categories** of threats and **specific threats** were identified as "significant" or "moderate." The percentages listed below are the combined proportion of respondents indicating these threats as "significant" or "moderate," excluding those who answered "I don't know." N indicates the number of individuals that selected this option.

<b>Agriculture and aquaculture:</b> Threats from farming and ranching as a result of			
agricultural expansion and intensification, including silviculture, mariculture, and	94.4%	84	
aquaculture			
Conversion of habitat to annual crops	93.8%	76	Increase
Annual and perennial nontimber crops	86.6%	71	Increase
Livestock farming and ranching	49.4%	39	Remain the same
Wood and pulp plantations	17.9%	12	Remain the same
Aquaculture	8.9%	5	Remain the same
<b>Invasives and other problematic species and genes:</b> Threats from non-native			
and native plants, animals, pathogens/microbes, or genetic materials that have or	75 60/	60	
are predicted to have harmful effects on biodiversity following their introduction,	75.6%	68	
spread, and/or increase in abundance			
Invasive/alien species	100.0%	67	Increase
Problematic native species (e.g. overabundant native deer or algae)	59.1%	39	Remain the same
Plant diseases	44.6%	25	Remain the same
Introduced genetic material (such as crop, seed stock, biocontrol, stocked/released			
species, etc.)	42.0%	21	Increase
species, etc.)			
Residential and commercial development: Threats from human settlements or			
other nonagricultural land uses with a substantial footprint	70.0%	63	
Housing and urban areas	0.967742	60	Increase
Commercial and industrial areas	0.881356	52	Increase
Tourism and recreation areas (e.g., sites with a substantial footprint – golf courses,	0.001330	32	merease
campgrounds, etc.)	0.4	24	Remain the same
campgrounds, etc.)			
Energy production and mining: Threats from production of nonbiological			
resources	68.9%	62	
Mining and quarrying	93.2%	55	Remain the same
Fossil fuel energy production	80.0%	44	Remain the same
Oil and gas drilling	63.2%	36	Remain the same
Shale gas development (e.g., fracking)	60.4%	29	Remain the same
Renewable energy production	18.4%	9	Increase
Renewable energy production	10.470	7	Hicrease
Human intrusion and disturbance: Threats from human activities that alter,			
destroy, and disturb habitats and species associated with nonconsumptive uses of	63.1%	53	
·	05.1 /0	55	
biological resources.  Recreation activities (e.g., ATVs, trail use, horseback riding, high-speed boating,			
	45.1%	23	Increase
canoeing)			
<b>Pollution:</b> Threats from introduction of exotic and/or excess materials or energy			
from point and nonpoint sources	61.4%	54	
	99.00/	44	Increase
Agriculture recidential and forestry effluents			
Agriculture, residential, and forestry effluents Point source pollution from commercial/industrial sources	88.0% 72.5%	37	Remain the same

Runoff from roads/service corridors	69.8%	37	Increase
Household sewage and urban water waste	67.3%	35	Remain the same
Air pollution (e.g., smoke, mercury emissions)	64.0%	32	Remain the same
Chemical spills	54.9%	28	Remain the same
Excess energy (e.g., noise/light pollution, warm water discharge, etc.)	38.8%	19	Remain the same
Garbage and solid waste	38.0%	19	Remain the same
Natural systems modifications: Threats from human activities that alter, destroy,			
and disturb habitats and species associated with nonconsumptive uses of	59.8%	52	
biological resources			
Conversion of natural habitats to other land uses	92.0%	46	Increase
Dams and water management/use	39.1%	18	Increase
Fire and fire suppression	32.0%	16	Remain the same
Over-mowing of natural areas	31.3%	15	Remain the same
Log jam removal	20.5%	9	Remain the same
Transportation and service corridors: Threats from long, narrow transport	44.00/	2.5	
corridors and the vehicles that use them, including associated wildlife mortality	41.9%	36	
Roads and railroads	79.4%	27	Increase
Utility and service lines	45.7%	16	Increase
Shipping lanes	23.3%	7	Remain the same
Flight paths	3.4%	1	Remain the same
Seri punis	2.170		Tromain the same
	3.170	-	Tremum the same
Climate change and severe weather: Long-term climactic changes that may be			Tremain the same
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the	35.0%	28	Tremain the same
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat.	35.0%	28	
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat. Changing frequency, duration, and intensity of floods	35.0% 96.3%	28 26	Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat. Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought	35.0% 96.3% 85.2%	28 26 23	Increase Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat. Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought Shifting and alteration of habitats due to climate change	35.0% 96.3% 85.2% 77.8%	28 26 23 21	Increase Increase Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat. Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought Shifting and alteration of habitats due to climate change Temperature extremes	35.0% 96.3% 85.2% 77.8% 73.1%	28 26 23 21 19	Increase Increase Increase Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat. Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought Shifting and alteration of habitats due to climate change	35.0% 96.3% 85.2% 77.8%	28 26 23 21	Increase Increase Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat. Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought Shifting and alteration of habitats due to climate change Temperature extremes Shifting seasons/phenology	35.0% 96.3% 85.2% 77.8% 73.1% 70.8%	28 26 23 21 19 17	Increase Increase Increase Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat.  Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought Shifting and alteration of habitats due to climate change Temperature extremes Shifting seasons/phenology  Other stressors: Additional threats and stressors directly affecting habitats, such	35.0% 96.3% 85.2% 77.8% 73.1%	28 26 23 21 19	Increase Increase Increase Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat.  Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought Shifting and alteration of habitats due to climate change Temperature extremes Shifting seasons/phenology  Other stressors: Additional threats and stressors directly affecting habitats, such as diseases and genetic diversity issues	35.0% 96.3% 85.2% 77.8% 73.1% 70.8%	28 26 23 21 19 17	Increase Increase Increase Increase Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat.  Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought Shifting and alteration of habitats due to climate change Temperature extremes Shifting seasons/phenology  Other stressors: Additional threats and stressors directly affecting habitats, such as diseases and genetic diversity issues Diseases	35.0% 96.3% 85.2% 77.8% 73.1% 70.8% 30.6% 85.7%	28 26 23 21 19 17	Increase Increase Increase Increase Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat.  Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought Shifting and alteration of habitats due to climate change Temperature extremes Shifting seasons/phenology  Other stressors: Additional threats and stressors directly affecting habitats, such as diseases and genetic diversity issues	35.0% 96.3% 85.2% 77.8% 73.1% 70.8%	28 26 23 21 19 17	Increase Increase Increase Increase Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat. Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought Shifting and alteration of habitats due to climate change Temperature extremes Shifting seasons/phenology  Other stressors: Additional threats and stressors directly affecting habitats, such as diseases and genetic diversity issues  Diseases Low genetic diversity (due to reduced population size, species inbreeding, etc.)	35.0% 96.3% 85.2% 77.8% 73.1% 70.8% 30.6% 85.7%	28 26 23 21 19 17	Increase Increase Increase Increase Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat. Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought Shifting and alteration of habitats due to climate change Temperature extremes Shifting seasons/phenology  Other stressors: Additional threats and stressors directly affecting habitats, such as diseases and genetic diversity issues  Diseases Low genetic diversity (due to reduced population size, species inbreeding, etc.)	35.0% 96.3% 85.2% 77.8% 73.1% 70.8% 30.6% 85.7% 82.4%	28 26 23 21 19 17 19 12 14	Increase Increase Increase Increase Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat. Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought Shifting and alteration of habitats due to climate change Temperature extremes Shifting seasons/phenology  Other stressors: Additional threats and stressors directly affecting habitats, such as diseases and genetic diversity issues  Diseases  Low genetic diversity (due to reduced population size, species inbreeding, etc.)  Biological resource use: Threats from consumptive use of "wild" biological resources including deliberate and unintentional harvesting effects; also	35.0% 96.3% 85.2% 77.8% 73.1% 70.8% 30.6% 85.7%	28 26 23 21 19 17	Increase Increase Increase Increase Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat. Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought Shifting and alteration of habitats due to climate change Temperature extremes Shifting seasons/phenology  Other stressors: Additional threats and stressors directly affecting habitats, such as diseases and genetic diversity issues  Diseases  Low genetic diversity (due to reduced population size, species inbreeding, etc.)  Biological resource use: Threats from consumptive use of "wild" biological resources including deliberate and unintentional harvesting effects; also persecution or control of specific species	35.0% 96.3% 85.2% 77.8% 73.1% 70.8% 30.6% 85.7% 82.4%	28 26 23 21 19 17 19 12 14	Increase Increase Increase Increase Increase
Climate change and severe weather: Long-term climactic changes that may be linked to global warming and other severe climactic or weather events outside the natural range of variation that could wipe out vulnerable species or habitat. Changing frequency, duration, and intensity of floods Changing frequency, duration, and intensity of drought Shifting and alteration of habitats due to climate change Temperature extremes Shifting seasons/phenology  Other stressors: Additional threats and stressors directly affecting habitats, such as diseases and genetic diversity issues  Diseases  Low genetic diversity (due to reduced population size, species inbreeding, etc.)  Biological resource use: Threats from consumptive use of "wild" biological resources including deliberate and unintentional harvesting effects; also	35.0% 96.3% 85.2% 77.8% 73.1% 70.8% 30.6% 85.7% 82.4%	28 26 23 21 19 17 19 12 14	Increase Increase Increase Increase Increase

## I. Conservation actions for habitats in Valleys and Hills (Region 4)

Criteria for inclusion: The following **categories** of actions and **specific actions** were identified as "very important" or "moderately important." The percentages listed below are the combined proportion of respondents indicating these actions as "very important" or "moderately important," excluding those who answered "I don't know." N indicates the number of individuals that selected this option.

Hulli	or individuals that selected this option.		
	Land/Water/Species Management: Actions directed at conserving or restoring sites,		
	habitats, and the wider environment as well as actions directed at managing or restoring	91.7%	77
	species, focused on the species of concern itself.	100.00	
1.	Manage urban woodlots	100.0%	4
2.	Restore and integrate diversity of habitats into developed landscapes	100.0%	4
3.	Restore habitats and natural systems in HABITAT	94.5%	69
4.	Restore habitats and natural systems in aquatic systems	90.0%	18
5.	Restore habitats and natural systems in barren lands	0.0%	0
6.	Restore habitats and natural systems in forests	91.7%	11
7.	Restore habitats and natural systems in grasslands	100.0%	20
8.	Restore habitats and natural systems in wetlands	95.2%	20
9.	Restore habitats and natural systems in subterranean systems	N/A	N/A
10.	Reduce losses of fish and wildlife habitats (due to agriculture, urban sprawl, commercial development, etc.)	93.5%	87
11.	Control invasive species in HABITAT	92.6%	87
12.	Control invasive species in agricultural lands	88.2%	15
13.	Control invasive species in aquatic systems (e.g., Asian carp, zebra mussels, invasive aquatic plants)	85.0%	17
14.	Control invasive species in barren lands	0.0%	0
15.	Control invasive species in developed lands	100.0%	4
16.	Control invasive species in forests	100.0%	12
17.	Control invasive species in grasslands	95.0%	19
18.	Control invasive species in wetlands	95.2%	20
19.	Control invasive species in subterranean systems	N/A	N/A
20.	Reestablish natural disturbance regimes in HABITAT	92.3%	48
21.	Reestablish natural disturbance regimes in barren lands	#DIV/0!	0
22.	Reestablish natural disturbance regimes in forests	83.3%	10
23.	Reestablish natural disturbance regimes in grasslands	100.0%	20
24.	Reestablish natural disturbance regimes in wetlands	90.0%	18
25.	Reestablish natural disturbance regimes in subterranean systems	N/A	N/A
26.	Promote diversity of wetland types and successional stages	90.5%	19
27.	Promote diversity of grassland types and successional stages	90.0%	18
28.	Reduce stream bank erosion	90.0%	18
29.	Develop and promote farming technologies and practices that have conservation benefits (e.g., cover crops, no till)	89.1%	82
30.	Link existing habitat blocks through corridor enhancement in HABITAT	88.3%	83
31.	Link existing habitat blocks through corridor enhancement in agricultural lands	94.1%	16
32.	Link existing habitat blocks through corridor enhancement in aquatic systems	80.0%	16
33.	Link existing habitat blocks through corridor enhancement in barren lands	0.0%	0
34.	Link existing habitat blocks through corridor enhancement in developed lands	100.0%	4
35.	Link existing habitat blocks through corridor enhancement in forests	91.7%	11
36.	Link existing habitat blocks through corridor enhancement in grasslands	85.0%	17
37.	Link existing habitat blocks through corridor enhancement in wetlands	90.5%	19
38.	Enhance corridors in subterranean systems	N/A	N/A
39.	Restore and integrate diversity of habitats into crop-production dominated landscapes	88.2%	15
40.	Protect natural water regimes (e.g., withdraws, warm-water discharge)	87.8%	36
41.	Increase acres of riparian buffers	87.0%	80
42.	Reduce nutrient and toxin loads (e.g., heavy metals, pharmaceuticals, fertilizers,	82.4%	75

	insecticides)		
43.	Improve drainage management	82.2%	74
44.	Promote diversity of forest types and successional stages	75.0%	9
45.	Decrease number of combined sewer overflow events	74.4%	29
46.	Improve integrated pest management	70.6%	12
47.	Reduce stream head cutting	64.7%	11
48.	Increase acres enrolled in the Classified Forest and Wildlands Program	64.1%	59
49.	Control problematic native species in HABITAT	61.7%	58
50.	Control problematic species (e.g., deer, raccoon, geese, domestic cat, feral hog) in		
50.	agricultural lands	64.7%	11
51.	Control problematic native species in aquatic systems	50.0%	10
52.	Control problematic species (e.g., deer, raccoon, skunk, coyote, domestic cat, feral hog)		
	in barren lands	0.0%	0
53.	Control problematic species (e.g., deer, raccoon, geese, domestic cat, feral hog,	75.00/	2
	exotic/aggressive vegetation) in developed lands	75.0%	3
54.	Control problematic species (e.g., deer, raccoon, domestic cat, feral hog) in forests	75.0%	9
55.	Control problematic species (e.g., raccoon, skunk, coyote, domestic cat) in grasslands	45.0%	9
56.	Control problematic species (e.g., deer, raccoon, domestic cat, feral hog,	76.20/	16
	exotic/aggressive vegetation) in wetlands	76.2%	16
57.	Control problematic native species in subterranean systems	N/A	N/A
58.	Protect and enhance undeveloped shorelines	61.5%	24
59.	Species reintroduction. Please specify:	56.0%	14
60.	Dam removal	47.4%	18
61.	Decrease E. coli counts	47.1%	16
62.	Manage biofuel grasslands	47.1%	16
63.	Reduce recreational overuse of HABITAT	46.4%	32
64.	Reduce recreational overuse of aquatic systems	47.4%	9
65.	Reduce recreational overuse of forests	50.0%	6
66.	Reduce recreational overuse of grasslands	52.6%	10
67.	Reduce recreational overuse of wetlands	36.8%	7
68.	Reduce recreational overuse of subterranean systems	N/A	N/A
69.	Ex situ conservation (protection of a species outside of its natural habitat). Please specify:	29.8%	17
70.	Remove log jams	25.0%	5
71.	Mine reclamation	14.0%	8
72.	Protect adjacent buffer zones	0.0%	0
	· · · · · · · · · · · · · · · · · · ·		
	<b>Land/water protection:</b> Actions to identify, establish, or expand parks and other legally	97.20/	75
	protected areas, and to protect resource rights	87.2%	75
73.	Preserve currently existing corridors	97.3%	73
74.	Acquire conservation easements to protect important wildlife habitats	96.0%	72
75.	Reduce conversion to cropland	94.6%	70
76.	Acquire currently unprotected HABITAT	93.5%	58
77.	Acquire currently unprotected aquatic systems (manage and/or educate for easement	100.0%	15
	habitat values)	100.070	13
78.	Acquire currently unprotected barren lands	50.0%	1
79.	Acquire currently unprotected forests	86.7%	13
80.	Acquire currently unprotected grasslands	93.3%	14
81.	Acquire currently unprotected wetlands	100.0%	15
82.	Acquire currently unprotected subterranean habitats	N/A	N/A
83.	Build/strengthen CRP partnerships	91.4%	64
	Education and awareness: Actions directed at people to improve understanding and	77.3%	68
	skills, and influence behavior.	11.570	00
84.	Educational programs specifically for K-12	92.6%	63
85.	Training programs for stakeholders	91.2%	62
86.	Educational programs in general	91.0%	61

87.	Improvement of signage and other communication materials in conservation areas	53.7%	36
	<b>Livelihood, economic, and other incentives:</b> Actions to use economic and other incentives to influence behavior	72.3%	60
88.	Promote conservation payment programs (e.g., payment for ecosystem services, conservation easements)	91.7%	55
89.	Manage recreational opportunities to be compatible with fish and wildlife habitats	75.0%	45
90.	Promote market forces (e.g., creation of a nitrogen trading market, promotion of alternative agricultural markets) as a tool for conservation	71.7%	38
91.	Promote nonmonetary values of natural systems within the state	71.2%	42
92.	Support substitution of alternatives for environmentally harmful products and processes	62.1%	36
93.	Link natural resources to livelihoods through nature tourism	54.2%	32
	Law and policy: Actions to develop, change, influence, and help implement formal		
	legislation, regulations, and voluntary standards.	68.3%	56
94.	Improve compliance with and enforcement of current policies	84.9%	45
95.	Reduce urban sprawl through planning and zoning	72.2%	39
96.	Increase regulations on invasive species	70.9%	39
97.	Set private sector standards and codes	59.6%	28
98.	Change current laws, policies, and regulations. Please specify:	52.8%	19
	External capacity building: Actions to build the infrastructure to do better conservation	66.7%	54
99.	Develop alliances and partnerships (e.g., between producers, landowners, and conservation professionals)	100.0%	54
100.	Promote use of research and science in conservation decision-making processes	96.3%	52
101.	Strengthen conservation financing	90.6%	48
102.	Increase state's capacity for research and monitoring of conservation actions	88.9%	48
103.	Promote green infrastructure	79.2%	42
104.	Develop institutions and civil society	61.0%	25

## II. Participation in conservation actions for habitats in Valleys and Hills (Region 4)

Criteria for inclusion: Respondents were asked if their agency/organization had acted or plans to take action in a general category of conservation actions within this region. "I don't know" responses to this question were excluded for this analysis. Responses were aggregated across all habitat types.

Have you taken (since 2005) or do you currently plan to take conservation actions in this category for fish and wildlife habitats within HABITAT in Valleys and Hills (Region 4)?

	• • • • • • • • • • • • • • • • • • • •					
	Yes		No		Total	
	%	N	%	N	Responses	
Land/water protection	69.5%	41	30.5%	18	59	
Land/water/species management	80.4%	45	19.6%	11	56	
<b>Education and awareness</b>	73.8%	45	26.2%	16	61	
Law and policy	50.0%	25	50.0%	25	50	
Livelihood, economic, and other incentives	20.4%	10	79.6%	39	49	
External capacity building	34.0%	16	66.0%	31	47	